

轴径	轴承型号				外形尺寸					额定负荷		极限转速
Shaft	Bearing Designation				BoundaryDimensions					BasicLoadRating		Limiting Speed
Diameter	无内圈	重量	有内圈	重量	内径d	内径Fw	外径D	内圈高度B	外圈高度C	动载荷	静载荷	油润滑 Oil
		Mass		Mass						Dynamic	Static	
mm	Without IR	g	With IR	g	mm					N		rpm
7.8	RNA7.8169	-	-	-	-	7.8	16	-	9	-	-	-
7.8	RNA8X19X9	-	-	-	-	8	19	-	9	-	-	-
7.8	RNA8X14X8	-	-	-	-	8	14	-	8	-	-	-
7.8	RNA496	-	-	-	-	8	15	-	10	-	-	-
7.8	RNA8X15X10T	-	-	-	-	8	15	-	10	-	-	-
7.8	RNA4900	24.4	-	-	-	14	22	-	13	8500	9000	25000
7.8	RNA6900	29.1	-	-	-	14	22	-	22	12800	15600	25000
7.8	RNA152815	31.7	-	-	-	15	28	-	15	13600	17200	24000
7.8	RNA4901	16.6	-	-	-	16	24	-	13	6400	8900	15500
7.8	RNA6901	28.7	-	-	-	16	24	-	22	14000	18600	15500
7.8	RNA4902	20.5	-	-	-	20	28	-	13	11000	12900	12000
7.8	RNA6902	35.4	-	-	-	20	28	-	23	10800	12800	12000
7.8	RNA5902		-	-	-	20	28	-	18			
7.8	RNA4903	20.7	-	-	-	22	30	-	13	12000	16800	16300
7.8	RNA5903		-	-	-	22	30	-	18			
7.8	RNA6903	39.8	-	-	-	22	30	-	23	14000	19900	16300
7.8	RNA4904	50.8	-	-	-	25	37	-	17	11900	16500	15000
7.8	RNA6904	97.7	-	-	-	25	37	-	30	26000	43000	15000
19	RNA22/6 2RS	18	NA22/6 2RS	22	6	10	19	12	11.8	5000	4350	18000

19	RNA22/6 2RSX	18	NA22/6 2RSX	22	6	10	19	12	11.8	5000	4350	18000
24	RNA22/8 2RS	29	NA22/8 2RS	34	8	12	24	12	11.8	5500	5200	14000
24	RNA22/8 2RSX	29	NA22/6 2RSX	34	8	12	24	12	11.8	5500	5200	14000
28	RNA283833	99.8	-	-	-	28	38	-	33	33000	57000	12000
28	RNA69/22		-	-	-	28	39	-	30			
28	RNA4905	57	-	-	-	30	42	-	17	23600	31500	14000
28	RNA6905	106.5	-	-	-	30	42	-	30	39000	59000	14000
28	RNA305225	-	-	-	-	30	52	-	25			
28	RNA49/28	80	-	-	-	32	45	-	17	17400	30000	13000
28	RNA69/28	125	-	-	-	32	45	-	30	39500	61300	13000
28	RNA324527	-	-	-	-	32	45	-	27			
28	RNA4906	62.8	-	-	-	35	47	-	17	17000	30500	12000
28	RNA6906	116	-	-	-	35	47	-	30	35000	67000	12000
28	RNA354527	-	-	-	-	35	45	-	27	-	-	-
28	RNA5906	108	-	-	-	35	47	-	23	-	-	-
28	RNA355730	-	-	-	-	35	57	-	30	-	-	-
28	RNA355734	-	-	-	-	35	57	-	34	-	-	-
28	RNA49/32	-	-	-	-	40	52	-	20	-	-	-
28	RNA69/32	147	-	-	-	40	52	-	36	25500	68500	8500
28	RNA405422	-	-	-	-	40	54	-	22	-	-	-
28	RNA40X55X20	-	-	-	-	40	55	-	20	-	-	-
28	RNA4907	99.3	-	-	-	42	55	-	20	19800	41500	8700
28	RNA5907	-	-	-	-	42	55	-	27			
28	RNA6907	160	-	-	-	42	55	-	36	26000	60500	8700
28	RNA425622	-	-	-	-	42	56	-	22	-	-	-

28	RNA456227K	-	-	-	-	45	62	-	27	-	-	-
30	RNA2200 2RS	52	NA2200 2RS	60	10	14	30	14	13.8	7600	8100	11000
30	RNA2200 2RSX	52	NA2200 2RS	60	10	14	30	14	13.8	7600	8100	11000
32	RNA2201 2RS	57	NA2201 2RS	67	12	16	32	14	13.8	8500	9700	9500
32	RNA2201 2RSX	57	NA2201 2RS	67	12	16	32	14	13.8	8500	9700	9500
35	RNA2202 2RS	60	NA2202 2RS	75	15	20	35	14	13.8	9600	12000	7000
35	RNA2202 2RSX	60	NA2202 2RS	75	15	20	35	14	13.8	9600	12000	7000
40	RNA2203 2RS	94	NA2203 2RS	112	17	22	40	16	15.8	12000	16500	6000
40	RNA2203 2RSX	94	NA2203 2RS	112	17	22	40	16	15.8	12000	16500	6000
47	RNA2204 2RS	152	NA2204 2RS	177	20	25	47	18	17.8	18500	21900	4600
47	RNA2204 2RSX	152	NA2204 2RS	177	20	25	47	18	17.8	18500	21900	4600
48	RNA4908	132	-	-	-	48	62	-	22	31000	63000	8120
48	RNA5908	225	-	-	-	48	62	-	30	31000	63000	8120
48	RNA6908	238	-	-	-	48	62	-	40	64000	112000	8120
50	RNA50/25	167	-	-	-	50	62	-	25	28000	67000	8140
50	RNA50/35	236	-	-	-	50	62	-	35	32000	70100	8140
52	RNA2205 2RS	179	NA2205 2RS	209	25	30	52	18	17.8	20100	26000	3500
52	RNA2205 2RSX	179	NA2205 2RS	209	25	30	52	18	17.8	20100	26000	3500
52	RNA4909	163	-	-	-	52	68	-	22	37000	69500	7600
52	RNA5909	232	-	-	-	52	68	-	30	-	-	-
52	RNA6909	308	-	-	-	52	68	-	40	61500	123500	7600
58	RNA4910	161	-	-	-	58	72	-	22	41000	72000	7500
58	RNA6910	296	-	-	-	58	72	-	40	68000	135000	7500
62	RNA2206 2RS	284	NA2206 2RS	324	30	35	62	20	19.8	23000	28000	2800
62	RNA2206 2RSX	284	NA2206 2RS	324	30	35	62	20	19.8	23000	28000	2800

63	RNA4911	241	-	-	-	63	80	-	25	50600	96580	7000
63	RNA6911	430	-	-	-	63	80	-	45	82560	172000	7000
68	RNA4912	257	-	-	-	68	85	-	25	52800	91050	7000
68	RNA5912	408	-	-	-	68	85	-	34	-	-	-
68	RNA6912	436	-	-	-	68	85	-	45	88500	186000	7000
72	RNA2207 2RS	432	NA2207 2RS	505	35	42	72	23	22.7	29800	46300	2200
72	RNA2207 2RSX	432	NA2207 2RS	505	35	42	72	23	22.7	29800	46300	2200
72	RNA4913	300	-	-	-	72	90	-	25	57500	110500	6500
72	RNA6913	571	-	-	-	72	90	-	45	87600	194500	6500
80	RNA2208 2RS	530	NA2208 2RS	628	40	48	80	23	22.7	38200	57700	1700
80	RNA2208 2RSX	530	NA2208 2RS	628	40	48	80	23	22.7	38200	57700	1700
80	RNA4914	400	-	-	-	80	100	-	30	79000	154000	5500
80	RNA6914	815	-	-	-	80	100	-	54	121000	263000	5500
85	RNA2209 2RS	545	NA2209 2RS	655	45	52	85	23	22.7	40300	63800	1600
85	RNA2209 2RSX	545	NA2209 2RS	655	45	52	85	23	22.7	40300	63800	1600
85	RNA4915	472	-	-	-	85	105	-	30	82000	158000	5500
85	RNA5915	745	-	-	-	85	105	-	40	-	-	-
85	RNA6915	923	-	-	-	85	105	-	54	128000	272000	5500
90	RNA22010 2RS	563	NA22010 2R	690	50	58	90	23	22.7	66000	86000	1300
90	RNA22010 2RS	563	NA22010 2R	690	50	58	90	23	22.7	66000	86000	1300
90	RNA6X13X8TN	-	-	-	-	6	13	-	8	-	-	-
90	RNA4916	496	-	-	-	90	110	-	30	81000	170500	5000
90	RNA6916	978	-	-	-	90	110	-	54	130500	280600	5000
100	RNA4917	608	-	-	-	100	120	-	35	98000	207000	4600
100	RNA6917	1112	-	-	-	100	120	-	63	161000	337000	4600

105	RNA4918	713	-	-	-	105	125	-	35	98500	239000	4000
105	RNA6918	1250	-	-	-	105	125	-	63	174000	38000	4000
110	RNA4919	685	-	-	-	110	130	-	35	112000	245000	3870
110	RNA6919	1325	-	-	-	110	130	-	63	196000	400000	3870
115	RNA4920	1006	-	-	-	115	140	-	40	120000	264000	3700
125	RNA4922	1200	-	-	-	125	150	-	40	124000	270000	3300
135	RNA4924	1760	-	-	-	135	165	-	45	174000	386000	2900
160	RNA4928	2350	-	-	-	160	190	-	50	200000	460000	2900